



User Manual













Scan for Video Instruction

### **SPECIFICATIONS**

Dimension (with Pod): 24.5\*112.1\*24.5mm

Battery Capacity: 1000 mAh

Charging: Type-C Pod Capacity: 2ml each

## READ ALL OF THIS INFORMATION LEAFLET CAREFULLY BEFORE YOU START USING THIS PRODUCT

This product is intended only for adult smokers. This product is not recommended for non-smokers, young people (under the age of 18), pregnant or breast-feeding women and those experiencing general ill health

## INSTRUCTIONS

## 1.Install and change the pod

A.Pull out the mouthpiece of the device.

B.Insert the pods into it, keep the flat sides of the pods facing towards center, and the corresponding light will flash once as a hint.

C.Put back the mouthpiece in the direction shown as in the following picture, and make it properly covered.







D.For pod replacement, please open the mouthpiece and take off the used pods, and then install new ones.

## 2.Vaping

A.Slide the bottom button to the left, the right pod will work, and the right light on.



C.Slide the bottom button to the middle, two pods will work together and two lights on.













D.Choose your favorite mode and draw to vape.

### 3. Battery Indication

Green light: The battery capacity is at high level Blue light: The battery capacity is at middle level Red light: The battery capacity is at low level

#### 4. Protection Function

Over-Time Protection: The lights will flash twice when the vaping time is over 8 seconds, and the device will stop output.

Low Voltage Protection: The lights will flash 10 times in red when the device voltage is too low, and the device will stop output.

Short Circuit: The lights will flash 5 times when the short-circuit occurs.

 $\mbox{\bf Open Circuit:}$  The lights will flash 7 times when the open-circuit occurs.

### 5. Charging

Charge the device with a type-C charging cable and the lights flash during charging. The light will flash 3 times when taking the charging cable off and when charging is done the green lights will stay on.

# WARNING

- Always keep the device away from children;
   Don't open the vaping device and don't attempt to repair
- the device yourself. Disassembling the device may damage it or may cause injury to you:
- Do not ćover the device with items such as newspapers, tablecloths, or curtains, and do not use this device on soft support such as bedding, blankets, etc. It may cause burns and other injuries if the battery leaks or overheats during the night:
- Do not use your device near sinks or other wet locations:

- . Do not expose this device to rain or moisture;
- Do not expose your device to extreme heat or cold. This may result in a risk of battery damage, other injury, or property damage;
- Keep out of direct sunlight;
- Store in a temperature between 2°C 25°C;
- Do not use the vaping device near flammable liquids or gases.

#### DISPOSAL

- Dispose of the packaging and the device shall always be in accordance with national and local laws and regulations.
- Never put the vaping device on fire. The built-in lithium-ion battery may burst or explode.

## POSSIBLE SIDE EFFECTS

Nicotine is an addictive substance. If you inhale too much nicotine or use the product too much you may experience one or more of the following effects:

- -Feeling faint
- -Nausea
- -Headache
- Coughing
   Irritation in the mouth or throat
- -Dizziness
- -Stomach discomfort
- -Hiccups
- -HICCUPS -Nasal congestion
- -Vomiting(being sick)
- Chest palpitations
   Abnormal heart rate

If you experience any of these side effects not listed in this leaflet, discontinue using this product. If the effect(s) continue after you stop use, consult your doctor or healthcare professional and bring this leaflet to their attention.

There are no reported medical side effects with this product. If you believe you experience a side effect, please contact the manufacturer.

#### MANUFACTURER:

Dongguan Chengkai Electronic Technology Co., Ltd. Room 102, Building 3, No.5 Yongshun Street, North Shore, Huangjiang Town, Dongquan City, Guangdong Province

E-MAIL: support@eluxtech.com